


Herb Garden
515409




Adobe White
513611



Gobi Desert
515408



Burgundy
514069



Cinnabar
514183



American Beauty
514500



Royal
513616




Dove
513895



Herb Garden
515409



Yew Green
514157



Plum Smoke
515411



Black
513612



Claret
520086




Pencil Gray
521181



Bay Laurel
515413



Regimental Blue
513615



Imperial Blue
513738

| | |
|---------------------------------|--|
| Content | 100% vinyl face, polyester knit backing |
| Features | Phthalate free PreFix® protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance. For a list of recommended disinfectants, view the Coated Fabrics Chemical Resistance Technical Bulletin located at https://www.omnova.com/fileadmin/Resource_Center/Coated_Fabrics/Technical_Bulletins/OMN-ChemRes-TB.pdf . |
| Weight | 32 oz/lin. yd [21.5 oz/yd ²] / 907 g/lin. m [610 g/m ²] |
| Width | 54 in [137 cm] |
| Performance Requirements | Meets or exceeds ACT Performance Guidelines CFFA Healthcare 201 Certified |



Also meets or exceeds:

- BIFMA - Class A
- CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)
- Fungal resistance ASTM G-21-13
- Bacterial resistance AATCC 147-2011 & AATCC 100-2004
- Boston Fire Dept. IX-1
- California Technical Bulletin 117-2013, Section 1
- FAR 25.853a & Appendix F Part 1 (a)(1)(ii)
- Federal Specification CID A-A-2950A
- ASTM E-84 Adhered to GRC, Class 1 or A
- FMVSS-302
- IMO Part 8 Upholstered Furniture 3.1 Smoldering Cigarette
- IMO Part 8 Upholstered Furniture 3.2 Propane Flame
- NFPA 701 Small Scale
- NFPA 260, Class 1
- Port Authority of NY/NJ
- UFAC Fabric, Class 1

Applications

Indoor/Outdoor

- Corporate Office • Food Service • Healthcare • Hospitality and Entertainment
- Marine • Recreational Vehicles • Retail

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

For additional cleaning instructions and detailed specification information, visit: www.omnova.com

| | |
|---------------------------------|--|
| Content | 100% vinyl face, polyester knit backing |
| Features | Phthalate free PreFixx® protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance. For a list of recommended disinfectants, view the Coated Fabrics Chemical Resistance Technical Bulletin located at https://www.omnova.com/fileadmin/Resource_Center/Coated_Fabrics/Technical_Bulletins/OMN-ChemRes-TB.pdf . |
| Weight | 32 oz/lin. yd [21.5 oz/yd ²] / 907 g/lin. m [610 g/m ²] |
| Width | 54 in [137 cm] |
| Performance Requirements | Meets or exceeds ACT Performance Guidelines CFFA Healthcare 201 Certified |



Also meets or exceeds:

- BIFMA - Class A
- CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)
- Fungal resistance ASTM G-21-13
- Bacterial resistance AATCC 147-2011 & AATCC 100-2004
- Boston Fire Dept. IX-1
- California Technical Bulletin 117-2013, Section 1
- FAR 25.853a & Appendix F Part 1 (a)(1)(ii)
- Federal Specification CID A-A-2950A
- ASTM E-84 Adhered to GRC, Class 1 or A
- FMVSS-302
- IMO Part 8 Upholstered Furniture 3.1 Smoldering Cigarette
- IMO Part 8 Upholstered Furniture 3.2 Propane Flame
- NFPA 701 Small Scale
- NFPA 260, Class 1
- Port Authority of NY/NJ
- UFAC Fabric, Class 1

Applications

Indoor/Outdoor

- Corporate Office • Food Service • Healthcare • Hospitality and Entertainment
- Marine • Recreational Vehicles • Retail

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

For additional cleaning instructions and detailed specification information, visit: www.omnova.com

Content

100% vinyl face, polyester knit backing

Features

Phthalate free

PreFixx® protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance. For a list of recommended disinfectants, view the Coated Fabrics Chemical Resistance Technical Bulletin located at https://www.omnova.com/fileadmin/Resource_Center/Coated_Fabrics/Technical_Bulletins/OMN-ChemRes-TB.pdf.

Weight

32 oz/lin. yd [21.5 oz/yd²] / 907 g/lin. m [610 g/m²]

Width

54 in [137 cm]

Performance Requirements

Meets or exceeds ACT Performance Guidelines | CFFA Healthcare 201 Certified



Also meets or exceeds:

- BIFMA - Class A
- CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)
- Fungal resistance ASTM G-21-13
- Bacterial resistance AATCC 147-2011 & AATCC 100-2004
- Boston Fire Dept. IX-1
- California Technical Bulletin 117-2013, Section 1
- FAR 25.853a & Appendix F Part 1 (a)(1)(ii)
- Federal Specification CID A-A-2950A
- ASTM E-84 Adhered to GRC, Class 1 or A
- FMVSS-302
- IMO Part 8 Upholstered Furniture 3.1 Smoldering Cigarette
- IMO Part 8 Upholstered Furniture 3.2 Propane Flame
- NFPA 701 Small Scale
- NFPA 260, Class 1
- Port Authority of NY/NJ
- UFAC Fabric, Class 1

Applications







Indoor/Outdoor

- Corporate Office • Food Service • Healthcare • Hospitality and Entertainment
- Marine • Recreational Vehicles • Retail

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

For additional cleaning instructions and detailed specification information, visit: www.omnova.com

| | |
|---------------------------------|---|
| Content | 100% vinyl face, polyester knit backing |
| Features | Phthalate free PreFixx® protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance. For a list of recommended disinfectants, view the Coated Fabrics Chemical Resistance Technical Bulletin located at https://www.omnova.com/fileadmin/Resource_Center/Coated_Fabrics/Technical_Bulletins/OMN-ChemRes-TB.pdf . |
| Weight | 32 oz/lin. yd [21.5 oz/yd ²] / 907 g/lin. m [610 g/m ²] |
| Width | 54 in [137 cm] |
| Performance Requirements | Meets or exceeds ACT Performance Guidelines CFFA Healthcare 201 Certified       |
| | Also meets or exceeds: <ul style="list-style-type: none">• BIFMA - Class A• CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)• Fungal resistance ASTM G-21-13• Bacterial resistance AATCC 147-2011 & AATCC 100-2004• Boston Fire Dept. IX-1• California Technical Bulletin 117-2013, Section 1• FAR 25.853a & Appendix F Part 1 (a)(1)(ii)• Federal Specification CID A-A-2950A• ASTM E-84 Adhered to GRC, Class 1 or A• FMVSS-302• IMO Part 8 Upholstered Furniture 3.1 Smoldering Cigarette• IMO Part 8 Upholstered Furniture 3.2 Propane Flame• NFPA 701 Small Scale• NFPA 260, Class 1• Port Authority of NY/NJ• UFAC Fabric, Class 1 |
| Applications | Indoor/Outdoor <ul style="list-style-type: none">• Corporate Office • Food Service • Healthcare • Hospitality and Entertainment• Marine • Recreational Vehicles • Retail |

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

For additional cleaning instructions and detailed specification information, visit: www.omnova.com

| | |
|---------------------------------|--|
| Content | 100% vinyl face, polyester knit backing |
| Features | Phthalate free PreFixx® protective finish for increased stain resistance and easy cleaning. Bleach cleanable and may be disinfected with a variety of hospital grade disinfectants without discoloring or damaging the finish. Disinfection does not replace the need for regular care and maintenance. For a list of recommended disinfectants, view the Coated Fabrics Chemical Resistance Technical Bulletin located at https://www.omnova.com/fileadmin/Resource_Center/Coated_Fabrics/Technical_Bulletins/OMN-ChemRes-TB.pdf . |
| Weight | 32 oz/lin. yd [21.5 oz/yd ²] / 907 g/lin. m [610 g/m ²] |
| Width | 54 in [137 cm] |
| Performance Requirements | Meets or exceeds ACT Performance Guidelines CFFA Healthcare 201 Certified |



Also meets or exceeds:

- BIFMA - Class A
- CFFA-1a Wyzenbeek - 1.3 million double rubs (cotton duck abradant)
- Fungal resistance ASTM G-21-13
- Bacterial resistance AATCC 147-2011 & AATCC 100-2004
- Boston Fire Dept. IX-1
- California Technical Bulletin 117-2013, Section 1
- FAR 25.853a & Appendix F Part 1 (a)(1)(ii)
- Federal Specification CID A-A-2950A
- ASTM E-84 Adhered to GRC, Class 1 or A
- FMVSS-302
- IMO Part 8 Upholstered Furniture 3.1 Smoldering Cigarette
- IMO Part 8 Upholstered Furniture 3.2 Propane Flame
- NFPA 701 Small Scale
- NFPA 260, Class 1
- Port Authority of NY/NJ
- UFAC Fabric, Class 1

Applications

Indoor/Outdoor

- Corporate Office • Food Service • Healthcare • Hospitality and Entertainment
- Marine • Recreational Vehicles • Retail

Though our upholsteries can be used in many applications, customers are responsible for selecting an upholstery with attributes that meet the requirements of the specific end-use application – not all upholstery is suitable for all applications.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

For additional cleaning instructions and detailed specification information, visit: www.omnova.com